




REV.	ECN NO.	DESCRIPTION	DATE	DESIGN
A		INITIAL RELEASE	2021.11.04	XUETAOGUO

NOTE:

- MATERIAL:SEE BOM
- SPEC. PLS. REFER TO EI055:
  - DIM. MARKED  $\otimes$  SHOULD BE MEASURED BY FAI;
  - DIM. MARKED  $\nabla$  SHOULD BE CONTROLLED BY QC;
  - DIM. MARKED  $\square$  SHOULD BE MEASURED TERMLY BY QC;
  - DIM. MARKED  $\square$  PK SHOULD BE ANALYSED TERMLY BY QC;

3.ORDERING INFORMATION:

WB2545 H-XX X X X  
 WITHOUT "H" : WITH HALOGEN  
 WITH "H" : HALOGEN FREE  
 Pin NO.  
 40:40P  
 50:50P  
 Packing  
 0:TAPE & REEL  
 1:TRAY  
 □: 常规款立式  
 W: 卧式  
 COLOR: G:GRAY  
 W:WHITE  
 PLATING  
 G:GOLD FLASH OVERALL  
 T5:5U" AU MIN  
 T10:10U" AU MIN



SIZE PIN	Dimensions (mm)			
	A	B	C	D
40	48.26	56.08	70.00	3.00
50	60.96	68.78	82.7	4.15

NO.	DESCRIPTION	Q'TY.	MATERIAL
2	TERMINAL	~	BRASS
1	HOUSING	1	THERMALPLASTIC PBT,UL94-V0





一般公差 <b>TOLERANCES</b> X .±0.5 .XX ±0.1 .X ±0.25 .XXX ±0.05 ANGLES ±1°		希尔盛精密电子(昆山)有限公司	
檢驗尺寸標示 <b>SYMBOLS</b> $\odot$ $\ominus$ INDICATE CLASSIFICATION DIMENSION <b>⊕</b> MARK IS CRITICAL DIM. <b>⊖</b> MARK IS MAJOR DIM.	品名 (TITLE) <b>PITCH 2.54mm HEADER VERTICAL TYPE</b> 圖號 (DWG NO.) <b>C-WB2545H-XXXXXX</b>	製圖 (DR) XUETAOGUO 審核 (CHKD) LEO-HE 核准 (APPD) LEO-HE	張數 (SHEET) 1 OF 3 比例 (SCALE) 5:1 單位 (UNITS) mm
表面處理 (FINISH)		尺寸 (SIZE) A4 版數 (REV) A	

REV.	ECN NO.	DESCRIPTION	DATE	DESIGN
A		INITIAL RELEASE	2021.11.04	XUETAOGUO

NOTE:

- MATERIAL:SEE BOM
- SPEC. PLS. REFER TO EI055:
  - DIM. MARKED  $\otimes$  SHOULD BE MEASURED BY FAI;
  - DIM. MARKED  $\nabla$  SHOULD BE CONTROLLED BY QC;
  - DIM. MARKED  $\square$  SHOULD BE MEASURED TERMLY BY QC;
  - DIM. MARKED  $\square$  SHOULD BE ANALYSED TERMLY BY QC;
- ORDERING INFORMATION:

WB2545 H-XX X X X X  
 WITHOUT "H" : WITH HALOGEN  
 WITH "H" : HALOGEN FREE  
 Pin NO. 26:26P  
 Packing 0:TAPE & REEL 1:TRAY  
 G:GOLD FLASH OVERALL  
 T5:5U" AU MIN  
 T10:10U" AU MIN



2	TERMINAL	~	BRASS
1	HOUSING	1	THERMALPLASTIC PBT,UL94-V0
NO.	DESCRIPTION	Q'TY.	MATERIAL
一般公差 TOLERANCES X ±0.5 .XX ±0.1 .X ±0.25 .XXX ±0.05 ANGLES ±1'			
檢驗尺寸標示 SYMBOLS $\otimes$ $\nabla$ INDICATE CLASSIFICATION DIMENSION		品名 (TITLE) PITCH 2.54mm HEADER VERTICAL TYPE	
$\otimes$ MARK IS CRITICAL DIM. $\nabla$ MARK IS MAJOR DIM.		製圖 (DR) XUETAOGUO	
表面處理 (FINISH)		圖號 (DWG NO.) C-WB2545H-XXXXXX	
比例 (SCALE) 5:1		審核 (CHKD) LEO-HE	
單位 (UNITS) mm		核准 (APPD) LEO-HE	
張數 (SHEET) 2 OF 3		比例 (SCALE) 5:1	
SIZE A4		REV A	

希尔盛精密电子(昆山)有限公司






REV.	ECN NO.	DESCRIPTION	DATE	DESIGN
A		INITIAL RELEASE	2021.11.04	XUETAOGUO

NOTE:

- MATERIAL:SEE BOM
- SPEC. PLS. REFER TO EI055:
  - DIM. MARKED  $\otimes$  SHOULD BE MEASURED BY FAI;
  - DIM. MARKED  $\nabla$  SHOULD BE CONTROLLED BY QC;
  - DIM. MARKED  $\square$  SHOULD BE MEASURED TERMPLY BY QC;
  - DIM. MARKED  $\square$  PK SHOULD BE ANALYSED TERMPLY BY QC;

3.ORDERING INFORMATION:

WB2545 H-XX X X X X  
 WITHOUT "H" : WITH HALOGEN  
 WITH "H" : HALOGEN FREE  
 Pin NO. 14:14P  
 Packing 0:TAPE & REEL 1:TRAY  
 G:GOLD FLASH OVERALL  
 T5:5U" AU MIN  
 T10:10U" AU MIN  
 □: 常规款立式  
 W: 卧式  
 COLOR: G:GRAY W:WHITE  
 PLATING



2	TERMINAL	~	BRASS
1	HOUSING	1	THERMALPLASTIC PBT,UL94-V0
NO.	DESCRIPTION	Q'TY.	MATERIAL
一般公差 <b>TOLERANCES</b> X ±0.5 .XX ±0.1 .X ±0.25 .XXX ±0.05 ANGLES ±1°		希尔盛精密电子(昆山)有限公司	
檢驗尺寸標示 <b>SYMBOLS</b> $\otimes$ INDICATE CLASSIFICATION DIMENSION $\otimes$ MARK IS CRITICAL DIM. $\otimes$ MARK IS MAJOR DIM.		品名 (TITLE) PITCH 2.54mm HEADER VERTICAL TYPE 圖號 (DWG NO.) C-WB2545H-XXXXXX	製圖 (DR) XUETAOGUO 審核 (CHKD) LEO-HE 核准 (APPD) LEO-HE
表面處理 (FINISH)		比例 (SCALE) 5:1	單位 (UNITS) mm
		張數 (SHEET) 3 OF 3	SIZE A4
		REV A	